

## Mapping Bibliography

Search Keyed to 1X2°

Vernal

Tuesday, December 31, 2002

### Ref#

- 737 Anderman, G.G., 1955, Geology of a portion of north flank of the Uinta Mountains in the vicinity of Manila, Summit and Daggett Counties, Utah, and Sweetwater County, Wyoming, Princeton, New Jersey, Princeton University Ph.D. dissertation 508 p.. Scale: 40000  
Latitude: N: 410000 S: 405200 Longitude: W 1100030 E: 1092830
- 1773 Anderman, G.G., 1955, in Anderman, G.G., editor, Green River Basin Geologic map of southwestern Wyoming, northwestern Colorado, and northeastern Utah, Wyoming Geological Association Guidebook Tenth Annual Field Conference. Scale: 500000  
Latitude: N: 433000 S: 404500 Longitude: W 1120000 E: 1060000
- 2100 Anderman, G.G., 1955, in Anderman, G.G., editor, Green River Basin Tertiary deformational history of a portion of the northern flank of the Uinta Mountains in the vicinity of Manila, Utah, Wyoming Geological Association Guidebook Tenth Annual Field Conference, p. 130-134. Scale: 97000  
Latitude: N: 410300 S: 405230 Longitude: W 1100000 E: 1092930
- 1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000
- 2451 Bradley, M.D., 1988, Structural evolution of the Uinta Mountains, Utah, and their interaction with the Utah-Wyoming salient of the Sevier overthrust belt, Salt Lake City, University of Utah Ph.D. dissertation 178 p., pl. 5. Scale: 29816  
Latitude: N: 405845 S: 405430 Longitude: W 1101257 E: 1095220
- 1735 Bradley, W.H., 1936, Map of the north flank of the Uinta Mountains in Utah and adjacent portions of Wyoming and Colorado, U.S. Geological Survey Professional Paper 185-I, p. 163-199, pl. 34. Scale: 250000  
Latitude: N: 412640 S: 404500 Longitude: W 1103015 E: 1073000
- 1147 Bradley, W.H., 1961, Geologic map of a part of southwestern Wyoming and adjacent states, U.S. Geological Survey Miscellaneous Investigations Series Map I-332. Scale: 250000  
Latitude: N: 424300 S: 404230 Longitude: W 1105630 E: 1072500
- 1061 Carrara, P.E., 1980, Surficial geologic map of the Vernal 1° x 2° quadrangle, Colorado and Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1204. Scale: 250000  
Latitude: N: 410000 S: 400000 Longitude: W 1100000 E: 1080000
- 1830 Cashion, W.B., 1967, Geology and fuel resources of the Green River Formation, southeastern Uinta Basin, Utah and Colorado, U.S. Geological Survey Professional Paper 548, 48 p., pl. 1. Scale: 125000  
Latitude: N: 400800 S: 391200 Longitude: W 1100500 E: 1090000
- 439 Cashion, W.B., 1978, Geologic map of the Walsh Knolls quadrangle, Uintah County, Utah, and Rio Blanco County, Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-1013. Scale: 24000

Latitude: N: 400730 S: 400000

Longitude: W 1090730 E: 1090000

1422 Cashion, W.B., 1986, Geologic map of the Bonanza quadrangle, Uintah County, Utah, U.S. Geological Survey

Miscellaneous Field Studies Map MF-1865.

Scale: 24000

Latitude: N: 400730 S: 400000

Longitude: W 1091500 E: 1090730

Ref#

1803 Cashion, W.B.; Brown, J.H., Jr., 1956, Geology of the Bonanza-Dragon oil-shale area, Uintah County, Utah, and Rio Blanco County, Colorado, U.S. Geological Survey Oil and Gas Investigations Map OM-153, sh. 1. Scale: 62500

Latitude: N: 401000 S: 393000 Longitude: W 1092130 E: 1085500

2622 Chew, R.T. III, 1956, Uranium and Vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955, U.S. Geological Survey Mineral Investigations Field Studies Map MF-54.

Scale: 750000

Latitude: N: 403000 S: 363000 Longitude: W 1134500 E: 1070000

1487 Connor, J.J.; Delaney, T.A.; Kulik, D.M.; Sawatzky, D.L.; Whipple, J.W.; Ryan, G.S., 1988, Mineral resource potential and geologic map of the Diamond Breaks wilderness study area, Moffat County, Colorado, and Daggett County, Utah, U.S. Geological Survey Bulletin 1714-B, 15 p., pl. 1. Scale: 50000

Latitude: N: 405230 S: 403730 Longitude: W 1090730 E: 1085230

881 Cook, R.A., 1975, Mechanisms of sandstone deformation, a study of the drape-folded Weber Sandstone in Dinosaur National Monument, Colorado and Utah, College Station, Texas A&M University Ph.D. dissertation

123 p., map 2. Scale: 62500

Latitude: N: 403530 S: 402400 Longitude: W 1091230 E: 1084530

746 Curtis, B.F., 1949, Structure and stratigraphy of the Linwood-Spring Creek area, Utah-Wyoming, Cambridge, Massachusetts, Harvard University Ph.D. dissertation 156 p.. Scale: 31680

Latitude: N: 410100 S: 405430 Longitude: W 1093900 E: 1091900

2626 Doelling, H.H., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields Coal and geology map, Naples quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 72-73. Scale: 42240

Latitude: N: 403000 S: 402230 Longitude: W 1093000 E: 1092230

1600 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields Coal and geology map, Cliff Ridge quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p.

32-33. Scale: 42240

Latitude: N: 402230 S: 401500 Longitude: W 1091500 E: 1090730

1601 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields Coal and geology map, Dinosaur Quarry quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p.

38-39. Scale: 42240

Latitude: N: 403000 S: 402230 Longitude: W 1092230 E: 1091500

1602 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields Coal and geology map, Donkey Flat quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p.

42-43. Scale: 42240

Latitude: N: 403730 S: 403000 Longitude: W 1093000 E: 1092230

1603 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal

fields

Coal and geology map, Dry Fork-Vernal NW quadrangle, Utah Geological and Mineralogical Survey  
Monograph

2, p. 48-49.           Scale: 42240

Latitude:   N: 403400       S: 402600                   Longitude:   W 1094500       E: 1093730

1604 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal  
fields

Coal and geology map, Island Park quadrangle, Utah Geological and Mineralogical Survey Monograph 2,  
p.

54-55.           Scale: 44240

Latitude:   N: 403730       S: 403000                   Longitude:   W 1091500       E: 1090730

Ref#

1605 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Jensen quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 58-59.

Scale: 42240

Latitude: N: 402230 S: 401500 Longitude: W 1092230 E: 1091500

1606 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Jensen Ridge quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p.

62-63. Scale: 42240

Latitude: N: 403730 S: 403000 Longitude: W 1092230 E: 1091500

1607 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Lake Mountain quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p.

66-67. Scale: 42240

Latitude: N: 403730 S: 403000 Longitude: W 1095230 E: 1094500

1609 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Rasmussen Hollow quadrangle, Utah Geological and Mineralogical Survey Monograph

2, p. 78-79. Scale: 42240

Latitude: N: 402230 S: 401500 Longitude: W 1093000 E: 1092230

1610 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Snake John Reef quadrangle, Utah Geological and Mineralogical Survey Monograph 2,

p. 82-83. Scale: 42240

Latitude: N: 402230 S: 401500 Longitude: W 1090730 E: 1090000

1611 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Steinaker Reservoir-Vernal NE quadrangle, Utah Geological and Mineralogical Survey

Monograph 2, p. 86-87. Scale: 42240

Latitude: N: 403430 S: 402700 Longitude: W 1093730 E: 1093000

1612 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields  
Coal and geology map, Vernal NE-SE [Vernal NE and Vernal SE] quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 92-93. Scale: 42240

Latitude: N: 402700 S: 402000 Longitude: W 1093730 E: 1093000

1749 Eldridge, G.H., 1896, Uintaite (gilsonite) deposits of Utah, U.S. Geological Survey Annual Report 17th, pt. 1,  
pl. 60. Scale: 250000

Latitude: N: 402220 S: 393000 Longitude: W 1093030 E: 1084845

2542 Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations

Field Studies Map MF-16. Scale: 500000

Latitude: N: 403000 S: 341500 Longitude: W 1134500 E: 1070000

1706 Gale, H.S., 1909, in Gale, H.S., Contributions to Economic Geology, 1907 Coal fields of northwestern Colorado and northeastern Utah, U.S. Geological Survey Bulletin 341, p. 283-315, pl. 20. Scale: 250000

Latitude: N: 410500 S: 405400 Longitude: W 1100000 E: 1093000

1708 Gale, H.S., 1910, Coal fields of northwestern Colorado and northeastern Utah, U.S. Geological Survey Bulletin 415, 265 p., pl. 21. Scale: 125000

Latitude: N: 403000 S: 401000 Longitude: W 1094000 E: 1090000

Ref#

- 1877 Graff, P.J.; Sears, J.W.; Holden, G.S., 1980, Geologic map of Red Creek quartzite, Research Associates of Wyoming, for U.S. Department of Energy Report GJBX-170(80), 180 p., pl. 1. Scale: 48000  
Latitude: N: 410000 S: 405330 Longitude: W 1093000 E: 1085500
- 2559 Grauch, V.J.S.; Plesha, J.L., 1989, Aeromagnetic maps of the Uinta and Piceance Basins and vicinity, Utah and Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-2008-C, 2 sheets, plates 1 and 2.  
Scale: 500000  
Latitude: N: 410000 S: 380000 Longitude: W 1130000 E: 1063500
- 180 Hansen, W.R., 1955, Geology of the Flaming Gorge quadrangle, Utah-Wyoming, U.S. Geological Survey Geologic Quadrangle Map GQ-75. Scale: 24000  
Latitude: N: 410000 S: 405230 Longitude: W 1093730 E: 1093000
- 50 Hansen, W.R., 1955, in Anderman, G.G., editor, Green River Basin Pre-Cambrian geology of the area between Clay Basin and Browns Park in Utah and Colorado, Wyoming Geological Association Guidebook Tenth Annual Field Conference, p. 23-28, pl. 1. Scale: 63360  
Latitude: N: 410000 S: 405230 Longitude: W 1093000 E: 1090000
- 186 Hansen, W.R., 1957, Geology of the Clay Basin quadrangle, [Daggett County] Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-101. Scale: 24000  
Latitude: N: 410000 S: 405230 Longitude: W 1091500 E: 1090730
- 254 Hansen, W.R., 1961, Geologic map of the Dutch John and Goslin Mountain quadrangles, Utah-Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-324. Scale: 24000  
Latitude: N: 410000 S: 405230 Longitude: W 1093000 E: 1091500
- 251 Hansen, W.R., 1961, Geologic map of the Willow Creek Butte quadrangle, Utah-Colorado, U.S. Geological Survey Miscellaneous Investigations Series Map I-322. Scale: 24000  
Latitude: N: 410000 S: 405230 Longitude: W 1090730 E: 1090000
- 1234 Hansen, W.R., 1965, Geology of the Flaming Gorge area, Utah-Colorado-Wyoming, U.S. Geological Survey Professional Paper 490, 196 p., pl. 1. Scale: 48000  
Latitude: N: 410000 S: 404845 Longitude: W 1094500 E: 1090000
- 510 Hansen, W.R., 1977, Geologic map of the Canyon of Lodore South quadrangle, Moffat County, Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1403. Scale: 24000  
Latitude: N: 403730 S: 403000 Longitude: W 1090000 E: 1085230
- 479 Hansen, W.R., 1977, Geologic map of the Jones Hole quadrangle, Uintah County, Utah, and Moffat County, Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1401. Scale: 24000  
Latitude: N: 403730 S: 403000 Longitude: W 1090730 E: 1090000
- 1783 Hansen, W.R.; Bonilla, M.G., 1954, Laramide faulting and orogeny on the north flank of the Uinta Mountains in eastern Daggett County, Utah, Colorado Scientific Society Proceedings v. 17, no. 1, p. 1-29, pl. 1. Scale: 152000  
Latitude: N: 410000 S: 405230 Longitude: W 1094500 E: 1093000
- 184 Hansen, W.R.; Bonilla, M.G., 1956, Geology of the Manila quadrangle, [Daggett County] Utah-Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-156. Scale: 24000

Latitude: N: 410000 S: 405230 Longitude: W 1094500 E: 1093730

471 Hansen, W.R.; Carrara, P.E.; Rowley, P.D., 1981, Geologic map of the Crouse Reservoir quadrangle,  
Uintah  
and Daggett Counties, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1554. Scale:  
24000

Latitude: N: 404500 S: 403730 Longitude: W 1091500 E: 1090730

Ref#

- 482 Hansen, W.R.; Rowley, P.D., 1980, Geologic map of the Stuntz Reservoir quadrangle, Utah-Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1530. Scale: 24000  
Latitude: N: 403000 S: 402230 Longitude: W 1090730 E: 1090000
- 2409 Hansen, W.R.; Rowley, P.D., 1991, Geologic map of the Hoy Mountain quadrangle, Daggett and Uintah Counties, Utah, and Moffat County, Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1695. Scale: 24000  
Latitude: N: 404500 S: 403730 Longitude: W 1090730 E: 1090000
- 1996 Hansen, W.R.; Rowley, P.D., 1991, Geologic map of the Hoy Mountain quadrangle, Daggett and Uintah Counties, Utah, and Moffat County, Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1695. Scale: 24000  
Latitude: N: 404500 S: 403730 Longitude: W 1090730 E: 1090000
- 1085 Hansen, W.R.; Rowley, P.D.; Carrara, P.E., 1983, Geologic map of Dinosaur National Monument and vicinity, Utah and Colorado, U.S. Geological Survey Miscellaneous Investigations Series Map I-1407. Scale: 50000  
Latitude: N: 403730 S: 402230 Longitude: W 1092230 E: 1083000
- 2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000  
Latitude: N: 440000 S: 340000 Longitude: W 1200000 E: 1080000
- 827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000
- 2537 Johnson, S.Y.; Johnson, R.C., 1991, Stratigraphic and time-stratigraphic cross sections of Phanerozoic rocks along line A-A', Uinta and Piceance Basin area-Eagle Basin, Colorado, to Eastern Basin and Range area, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2184-A. Scale: 500000  
Latitude: N: 410000 S: 390000 Longitude: W 1130000 E: 1070000
- 1119 Kayser, R.B., 1966, Bituminous sandstone deposits of Asphalt Ridge, Uintah County, Utah, Utah Geological and Mineralogical Survey Special Studies 19, 62 p., plates 1A and 1B. Scale: 12000  
Latitude: N: 402630 S: 401930 Longitude: W 1093730 E: 1092700
- 852 Kinney, D.M., 1950, Geology of the Uinta River-Brush Creek area, Duchesne and Uintah Counties, Utah, New Haven, Connecticut, Yale University Ph.D. dissertation. Scale: 62500  
Latitude: N: 404500 S: 401700 Longitude: W 1101500 E: 1091500
- 32 Kinney, D.M., 1951, Geology of the Uinta River and Brush Creek-Diamond Mountain areas, Duchesne

and  
Uintah Counties, Utah [Geologic map of the Brush Creek-Diamond Mountain area], U.S. Geological  
Survey Oil  
and Gas Investigations Map OM-123, [two maps on one sheet]. Scale: 63360  
Latitude: N: 404500 S: 401630 Longitude: W 1093000 E: 1091500

99 Kinney, D.M., 1955, Geology of the Uinta River-Brush Creek area, Duchesne and Uintah Counties, Utah,  
U.S.  
Geological Survey Bulletin 1007, 185 p., pl. 1. Scale: 63360  
Latitude: N: 404500 S: 401700 Longitude: W 1101500 E: 1091500

Ref#

29 Kinney, D.M.; Rominger, J.F., 1947, Geology of the Whiterocks River-Ashley Creek area, Uintah County, Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-82, pl. 1. Scale: 63360

Latitude: N: 404500 S: 403000 Longitude: W 1100000 E: 1093000

1450 Lickus, M.R.; Law, B.E., 1988, Structure contour map of the greater Green River basin, Wyoming, Colorado, and Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2031. Scale: 500000

Latitude: N: 433000 S: 404500 Longitude: W 1104500 E: 1070000

1841 Lindsay, J.B.; compiler, 1969, in Lindsay, J.B., editor, Geologic guidebook of the Uinta Mountains, Utah's maverick range Geologic map of the Uinta Mountains uplift and surrounding transition area, Intermountain Association of Petroleum Geologists Guidebook Sixteenth Annual Field Conference, 237 p..

Scale:

250000

Latitude: N: 411500 S: 401500 Longitude: W 1113500 E: 1090000

2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000

Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000

1417 Luft, S.J., 1985, Generalized geologic map showing distribution and basal configuration of the Browns Park Formation and Bishop Conglomerate in northwestern Colorado, northeastern Utah, and southern Wyoming, U.S. Geological Survey Miscellaneous Field Studies Map MF-1821. Scale: 250000

Latitude: N: 410000 S: 401500 Longitude: W 1100000 E: 1090300

4 Lupton, C.T., 1912, Deep Creek district of the Vernal coal field, Uintah County, Utah, U.S. Geological Survey Bulletin 471-I, p. 575-594, pl. 60. Scale: 62500

Latitude: N: 403330 S: 403010 Longitude: W 1095300 E: 1094220

745 Martner, S.T., 1948, Geology of the Manila-Linwood area, Sweetwater County, Wyoming, and Daggett County, Utah, Pasadena, California Institute of Technology Ph.D. dissertation 119 p., pl. 1. Scale: 31680

Latitude: N: 410000 S: 405300 Longitude: W 1095000 E: 1092500

944 Niermeier, V.D., 1976, Geology of the Dinosaur Quarry quadrangle, Uintah County, Utah, Hays, Kansas, Fort Hays State College M.S. thesis. Scale: 24000

Latitude: N: 403000 S: 402230 Longitude: W 1092230 E: 1091500

2541 Osterwald, F.W.; Dean, B.G., 1957, Preliminary Tectonic map of the northern Colorado and northeastern Utah, showing the distribution of uranium deposits, U.S. Geological Survey Mineral Investigations Field Studies Map MF-130, sheet 1. Scale: 500000

Latitude: N: 410000 S: 394000 Longitude: W 1110000 E: 1064000

108 Ray, R.G.; Kent, B.H.; Dane, C.H., 1956, Stratigraphy and photogeology of the southwestern part of the Uinta Basin, Duchesne and Uintah Counties, Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-171, 2 pl.. Scale: 63360

Latitude: N: 401115 S: 395230

Longitude: W 1104820 E: 1094715

81 Ritzma, H.R., 1959, Geologic atlas of Utah, Daggett County, Utah Geological and Mineralogical Survey  
Bulletin

66, 116 p.. Scale: 125000

Latitude: N: 410000 S: 403900

Longitude: W 1100000 E: 1090300

Ref#

- 481 Rowley, P.D.; Hansen, W.R., 1979, Geologic map of the Split Mountain quadrangle, Uintah County, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1515. Scale: 24000  
Latitude: N: 403000 S: 402230 Longitude: W 1091500 E: 1090730
- 472 Rowley, P.D.; Hansen, W.R.; Carrara, P.E., 1981, Geologic map of the Island Park quadrangle, Uintah County, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1560. Scale: 24000  
Latitude: N: 403730 S: 403000 Longitude: W 1091500 E: 1090730
- 1360 Rowley, P.D.; Hansen, W.R.; Tweto, Ogden; Carrara, P.E., 1985, Geologic map of the Vernal 1° x 2° quadrangle, Colorado, Utah, and Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1526. Scale: 250000  
Latitude: N: 410000 S: 400000 Longitude: W 1100000 E: 1080000
- 480 Rowley, P.D.; Kinney, D.M.; Hansen, W.R., 1979, Geologic map of the Dinosaur Quarry quadrangle, Uintah County, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1513. Scale: 24000  
Latitude: N: 403000 S: 402230 Longitude: W 1092230 E: 1091500
- 1226 Sanderson, I.D.; Wiley, M.T., 1986, The Jesse Ewing Canyon Formation, an interpreted alluvial fan deposit in the basal Uinta Mountain group (Middle Proterozoic), Utah, The Mountain Geologist v. 23, no. 3, p. 77-89, fig. 1. Scale: 26000  
Latitude: N: 405630 S: 405500 Longitude: W 1090930 E: 1090700
- 2004 Schell, E.M., 1969, in Lindsay, J.B., editor, Geologic guidebook of the Uinta Mountains, Utah's maverick range Summary of the geology of the Sheep Creek Canyon geological area and vicinity, Daggett County, Utah, Intermountain Association of Petroleum Geologists Guidebook Sixteenth Annual Field Conference, p. 143-152, pl. 1. Scale: 24000  
Latitude: N: 405710 S: 405300 Longitude: W 1094900 E: 1094500
- 1718 Schell, E.M.; Dyni, J.R., 1973, Preliminary geologic strip maps of the Park City and Phosphoria Formations, Vernal phosphate area, Uintah County, Utah, U.S. Geological Survey Open-File Report OF 73-248, pl. 1. Scale: 24000  
Latitude: N: 403000 S: 402700 Longitude: W 1092050 E: 1090850
- 2024 Schell, E.M.; Dyni, J.R., 1973, Preliminary geologic strip maps of the Park City and Phosphoria Formations, Vernal phosphate area, Uintah County, Utah, U.S. Geological Survey Open-File Report OF 73-248, pl. 2. Scale: 24000  
Latitude: N: 403910 S: 403145 Longitude: W 1091530 E: 1090255
- 2025 Schell, E.M.; Dyni, J.R., 1973, Preliminary geologic strip maps of the Park City and Phosphoria Formations, Vernal phosphate area, Uintah County, Utah, U.S. Geological Survey Open-File Report OF 73-248, pl. 3. Scale: 24000  
Latitude: N: 403000 S: 402630 Longitude: W 1092050 E: 1090850
- 1723 Schultz, A.R., 1920, Oil possibilities in and around Baxter Basin in the Rock Springs uplift, Sweetwater County, Wyoming, U.S. Geological Survey Bulletin 702. Scale: 250000  
Latitude: N: 410000 S: 404500 Longitude: W 1094000 E: 1090000
- 1871 Smith, Larry; Kinney, D.M.; Rominger, J.F., 1960, Geology of the Park City Formation in the Ashley Creek-Brush Creek area, Uintah County, Utah, U.S. Geological Survey Open-File Report OF 60-126.

Scale: 31680

Latitude: N: 404100 S: 403345

Longitude: W 1093645 E: 1092350

Ref#

- 2624 Sprinkel, D.A., 2002, Progress Report Geologic map of the Dutch John quadrangle (east part) Utah-Colorado-Wyoming. Year 3 of 3., Utah Geological Survey Open-File Report 399, pl. 1 and 2. Scale: 62500  
Latitude: N: 410000 S: 403000 Longitude: W 1100000 E: 1090000
- 2485 Sprinkel, D.L., 2000, Progress report geologic map of the Dutch John quadrangle (east part), Utah-Colorado-Wyoming - Year 1 of 3, Utah Geological Survey Open-File Report 374, pl. 1. Scale: 100000  
Latitude: N: 410000 S: 403000 Longitude: W 1091500 E: 1090000
- 784 Stokes, W.L.; Madsen, J.H., Jr.; compilers, 1961, Geologic map of Utah (northeast quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000  
Latitude: N: 420000 S: 392230 Longitude: W 1113730 E: 1090000
- 2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000  
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 49 Untermann, G.E.; Untermann, B.R., 1951, Geology of Dinosaur National Monument and vicinity, Utah-Colorado, Utah Geological and Mineralogical Survey Bulletin 42, 221 p., pl. 2. Scale: 88000  
Latitude: N: 404530 S: 402320 Longitude: W 1091730 E: 1083000
- 1293 Untermann, G.E.; Untermann, B.R., 1961, Geologic map of Duchesne County, Utah, unknown unpublished map . Scale: 63360  
Latitude: N: 405000 S: 394830 Longitude: W 1105300 E: 1095830
- 1117 Untermann, G.E.; Untermann, B.R., 1964, Geology of Uintah County, Utah Geological and Mineralogical Survey Bulletin 72, 112 p.. Scale: 125000  
Latitude: N: 404800 S: 392700 Longitude: W 1095900 E: 1090300
- 1462 Untermann, G.E.; Untermann, B.R., 1965, Geologic map of Dinosaur National Mounument, Colorado-Utah, Utah Geological and Mineralogical Survey Map 10. Scale: 62500  
Latitude: N: 404400 S: 402430 Longitude: W 1092100 E: 1083130
- 1113 Verbeek, E.R.; Grout, M.A., 1993, Geometry and structural evolution of gilsonite dikes in the eastern Uinta Basin, Utah, U.S. Geological Survey Bulletin 1787-HH, pl. 1a. Scale: 250000  
Latitude: N: 402230 S: 393300 Longitude: W 1101500 E: 1085700
- 1380 Walton, P.T., 1944, Geology of the Cretaceous of the Uinta Basin, Utah, Geological Society of America Bulletin v. 55, p. 91-130, pl. 2. Scale: 537000  
Latitude: N: 404800 S: 395230 Longitude: W 1110730 E: 1090000
- 1780 Wilmarth, V.R., 1953, Yellow Canary uranium deposits, Daggett County, Utah, U.S. Geological Survey Circular 312, 8 p., fig. 2. Scale: 2400  
Latitude: N: 405606 S: 405600 Longitude: W 1091322 E: 1091314

